

PRODUCT-DETAILS

GSH201 AC-C25/0.03

GSH201 AC-C25/0.03 Residual Current Circuit Breaker with Overcurrent Protection



General Information	
Extended Product Type	GSH201 AC-C25/0.03
Product ID	2TAZ220111R2254
EAN	6940342285366
Catalog Description	GSH201 AC-C25/0.03 Residual Current Circuit Breaker with Overcurrent Protection
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH201 AC-C25/0.03

Technical	
Standards	IEC 61009 GB 16917
Tripping Characteristic	C
Type of Residual Current	AC type
Rated Operational Voltage	230 V AC
Rated Current (In)	25 A
Rated Residual Current	30 mA
Rated Short-Circuit Capacity	6 kA
Maximum Breaking Capacity	6 kA
Number of Poles	1+N
Number of Protected Poles	1

GSH201 AC-C25/0.03

Popular Downloads	
RoHS Information	CNIIB21EDRCBO1216
REACH Declaration	CNIIB21EDRCBO121
Conformity - CE Instructions and Manuals	No document needed
Declaration of Conformity - CE	No declaration needed
Certificates and Declarations (Docur	ment Number)
Country of Origin	China (CN
Customs Tariff Number	8536301(
Minimum Order Quantity	1 piec
Ordering	
Package Level 1 EAN	0340342203300
Package Level 1 Units	box 1 piece 6940342285361
Container Information	
Product Net Weight	0.171 kg
Product Net Depth / Length	70 mn
Product Net Height	0.085 n
Product Net Width	69 mn
Dimensions	
Short-Circuit Current Rating (SCCR)	30 m
Technical UL/CSA	
REACH Declaration	CNIIB21EDRCBO121
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
Environmental	
Terminals Release Type	
Position of Neutral	Righ
	mstartariesa
(ELCBs) Operating Characteristic	Instantaneous

 $\frac{\text{Information}}{\text{Instructions and}}$

Manuals

No document needed

2

GSH201 AC-C25/0.03

Classifications		
ETIM 7	EC002281 - Distributor assembly with combination RCCB/MCB	
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85363010	
eClass	V11.0 : 27400618	
Object Classification Code	F	

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Residual\ Current\ Devices\ RCDs\ \rightarrow\ Residual\ Current\ Circuit\ Breakers\ with\ Overcurrent\ Protection\ RCBO$

