

PRODUCT-DETAILS

## GSH201 A-C40/0.03 AP-R GSH201 A-C40/0.03 AP-R Residual Current Circuit Breaker with Overcurrent Protection



General Information	
Extended Product Type	GSH201 A-C40/0.03 AP-R
Product ID	2TAZ220115R2404
EAN	6940342285717
Catalog Description	GSH201 A-C40/0.03 AP-R Residual Current Circuit Breaker with Overcurrent Protection
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH201 A-C40/0.03 AP-R

Technical	
Standards	IEC 61009 GB 16917
Tripping Characteristic	<u> </u>
Type of Residual Current	A type
Rated Operational Voltage	230 V AC
Rated Current (I <sub>n</sub> )	40 A
Rated Residual Current	30 mA
Rated Short-Circuit Capacity	6 kA
Maximum Breaking Capacity	6 kA
Number of Poles	1+N
Number of Protected Poles	1
Number of Earth Leakage Circuit Breakers (ELCBs)	1
Operating Characteristic	Instantaneous (APR High Immunity)

Subject to change without notice

Position of Neutral Terminals	Righ
Release Type	(
Environmental	
	EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	CNIIB21EDRCB0121
Technical UL/CSA	
Short-Circuit Current Rating (SCCR)	30 m/
Dimensions	
Product Net Usight	69 mn
Product Net Height Product Net Depth /	0.085 n 70 mn
Length	70 111
Product Net Weight	0.172 ko
Container Information	
Package Level 1 Units	box 1 piec
Package Level 1 EAN	694034228571
Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85363010
Country of Origin	China (CN
Certificates and Declarations (Document Number)	
Declaration of Conformity • CE	No declaration neede
nstructions and Manuals	No document neede
REACH Declaration RoHS Information	CNIIB21EDRCB0121 CNIIB21EDRCB0121
Popular Downloads	
Data Sheet, Technical nformation	1SXF400005C201
nstructions and Manuals	No document neede
Classifications	
	EC002281 - Distributor assembly with combination RCCB/MCI
ETIM 8 WEEE Category	EC002281 - Distributor assembly with combination RCCB/MCt 5. Small Equipment (No External Dimension More Than 50 cm
WEEE B2C / B2B	Business To Consume
WEEE B2C / B2B CN8	Business To Consume 8536301

## Categories

Low Voltage Products and Systems  $\rightarrow$  Modular DIN Rail Products  $\rightarrow$  Residual Current Devices RCDs  $\rightarrow$  Residual Current Circuit Breakers with Overcurrent Protection RCBO



F