

PRODUCT-DETAILS

# GSH201 AC-C63/0.03

## GSH201 AC-C63/0.03 Residual Current Circuit Breaker with Overcurrent Protection



### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | GSH201 AC-C63/0.03  |
| Product ID            | 2TAZ230111R2634   |
| EAN                   | 6957625331658   |
| Catalog Description   | GSH201 AC-C63/0.03 Residual Current Circuit Breaker with Overcurrent Protection |
| Long Description      | Residual Current Circuit Breaker with Overcurrent Protection GSH201 AC-C63/0.03 |

### Technical

|  |               |
|--|---------------|
| Standards  | IEC 61009     |
| Tripping Characteristic                          | C             |
| Type of Residual Current                         | AC type       |
| Rated Operational Voltage                        | 230 V AC      |
| Rated Current ( $I_n$ )                          | 63 A          |
| Rated Residual Current                           | 30 mA         |
| Rated Short-Circuit Capacity                     | 6 kA          |
| Maximum Breaking Capacity                        | 6 kA          |
| Number of Poles                                  | 1+N           |
| Number of Protected Poles                        | 1             |
| Number of Earth Leakage Circuit Breakers (ELCBs) | 1             |
| Operating Characteristic                         | Instantaneous |
| Position of Neutral                              | Right         |

## Terminals

|              |   |
|--------------|---|
| Release Type | C |
|--------------|---|

---

**Environmental**

|             |  |
|-------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
|-------------|--|

|                   |                   |
|-------------------|-------------------|
| REACH Declaration | CNIIB21EDRCBO1217 |
|-------------------|-------------------|

---

**Technical UL/CSA**

|                                     |       |
|-------------------------------------|-------|
| Short-Circuit Current Rating (SCCR) | 30 mA |
|-------------------------------------|-------|

---

**Dimensions**

|                   |       |
|-------------------|-------|
| Product Net Width | 69 mm |
|-------------------|-------|

|                    |         |
|--------------------|---------|
| Product Net Height | 0.085 m |
|--------------------|---------|

|                            |       |
|----------------------------|-------|
| Product Net Depth / Length | 70 mm |
|----------------------------|-------|

|                    |          |
|--------------------|----------|
| Product Net Weight | 0.185 kg |
|--------------------|----------|

---

**Container Information**

|                     |               |
|---------------------|---------------|
| Package Level 1 EAN | 6957625331658 |
|---------------------|---------------|

---

**Ordering**

|                        |         |
|------------------------|---------|
| Minimum Order Quantity | 1 piece |
|------------------------|---------|

|                       |          |
|-----------------------|----------|
| Customs Tariff Number | 85363010 |
|-----------------------|----------|

|                   |            |
|-------------------|------------|
| Country of Origin | China (CN) |
|-------------------|------------|

---

**Certificates and Declarations (Document Number)**

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
|--------------------------------|-----------------------|

|                          |                    |
|--------------------------|--------------------|
| Instructions and Manuals | No document needed |
|--------------------------|--------------------|

|                   |                   |
|-------------------|-------------------|
| REACH Declaration | CNIIB21EDRCBO1217 |
|-------------------|-------------------|

|                  |                   |
|------------------|-------------------|
| RoHS Information | CNIIB21EDRCBO1216 |
|------------------|-------------------|

---

**Popular Downloads**

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SXF400005C2013 |
|-----------------------------------|-----------------|

|                          |                    |
|--------------------------|--------------------|
| Instructions and Manuals | No document needed |
|--------------------------|--------------------|

---

**Classifications**

|        |   |
|--------|---|
| ETIM 7 | EC002281 - Distributor assembly with combination RCCB/MCB |
|--------|---|

|        |   |
|--------|---|
| ETIM 8 | EC002281 - Distributor assembly with combination RCCB/MCB |
|--------|---|

|               |  |
|---------------|--|
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
|---------------|--|

|                |                      |
|----------------|----------------------|
| WEEE B2C / B2B | Business To Consumer |
|----------------|----------------------|

|     |          |
|-----|----------|
| CN8 | 85363010 |
|-----|----------|

|        |                  |
|--------|------------------|
| eClass | V11.0 : 27400618 |
|--------|------------------|

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Circuit Breakers with Overcurrent Protection RCBO

